

Alston & Bird LLP

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
(704) 444-1000
Fax (704) 444-1111

May 16, 2011

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: United States Patent for *Apparatus, And Associated Method, For Detecting Data Communicated To A Receiving Station In A Multiple-Channel Communication System*
Application No. 10/601,071; Filed June 20, 2003
Patent No. 7,639,760; Issued December 29, 2009
Our File 042933/302927

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction e-filed herewith.

Respectfully submitted,



Andrew T. Spence
Registration No. 45,699

ATS:mf
Enclosure

LEGAL02/32630205v1

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,639,760 B2

Page 1 of 1

APPLICATION NO. : 10/601,071

ISSUE DATE : December 29, 2009

INVENTOR(S) : Kim

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10.

Line 44, "wherein selected" should read --wherein the selected--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000